

Death Star

 Sample ID: BIA240531S0001
 Strain: Death Star

 Produced:
 Collected:
 Received: 05/31/2024
 Completed: 06/05/2024
 Batch#:

 Client
Green Mountain Gardens
 Lic. # SCLT0110
 126 Ski Bowl Rd
 Bellows Falls, VT 05101

 Matrix: Plant
 Type: Flower - Cured
 Sample Size: 43.1 g
 Lot#:


Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	06/03/2024	Complete
Moisture	05/31/2024	10.80% - Complete
Water Activity	05/31/2024	0.537 aw - Complete
Terpenes	06/03/2024	Complete
Microbials	05/31/2024	Not Tested
Pesticides	06/04/2024	Complete

Cannabinoids

Completed

19.65% Total THC	0.07% Total CBD	23.26% Total Cannabinoids
----------------------------	---------------------------	-------------------------------------

Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving
CBDVa	0.0005	<LOQ	<LOQ	
CBDV	0.0012	<LOQ	<LOQ	
CBDa	0.0008	0.08	0.8	
CBGa	0.0008	0.83	8.3	
CBG	0.0019	<LOQ	<LOQ	
CBD	0.0019	<LOQ	<LOQ	
THCV	0.0021	<LOQ	<LOQ	
CBN	0.0013	<LOQ	<LOQ	
Δ9-THC	0.0020	0.36	3.6	
Δ8-THC	0.0019	<LOQ	<LOQ	
THCa	0.0034	21.99	219.9	
CBC	0.0024	<LOQ	<LOQ	
Total THC		19.65	196.46	
Total CBD		0.07	0.68	
Total		23.26	232.63	0.00

Analyst: 056

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCa or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCa} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.




 Luke Emerson-Mason
 Laboratory Director
 06/05/2024

 Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com


Death Star

 Sample ID: BIA240531S0001
 Strain: Death Star

 Produced:
 Collected:
 Received: 05/31/2024
 Completed: 06/05/2024
 Batch#:

 Client
Green Mountain Gardens
 Lic. # SCLT0110
 126 Ski Bowl Rd
 Bellows Falls, VT 05101

 Matrix: Plant
 Type: Flower - Cured
 Sample Size: 43.1 g
 Lot#:

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
β-Myrcene	0.010	13.702	1.370
Limonene	0.010	6.111	0.611
β-Caryophyllene	0.010	4.818	0.482
Ocimene	0.010	3.457	0.346
α-Humulene	0.010	2.240	0.224
β-Pinene	0.010	1.360	0.136
Linalool	0.010	1.237	0.124
α-Pinene	0.010	0.764	0.076
Guaiol	0.010	0.226	0.023
Camphene	0.010	0.122	0.012
α-Bisabolol	0.010	0.100	0.010
Terpinolene	0.010	0.095	0.009
Eucalyptol	0.010	0.070	0.007
Caryophyllene Oxide	0.010	0.049	0.005
γ-Terpinene	0.010	0.024	0.002
α-Terpinene	0.010	0.013	0.001
3-Carene	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
Geraniol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		34.387	3.439

Primary Aromas



Analyst: 048

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.




 Luke Emerson-Mason
 Laboratory Director
 06/05/2024

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


Death Star

 Sample ID: BIA240531S0001
 Strain: Death Star

 Produced:
 Collected:
 Received: 05/31/2024
 Completed: 06/05/2024
 Batch#:

 Client
Green Mountain Gardens
 Lic. # SCLT0110
 126 Ski Bowl Rd
 Bellows Falls, VT 05101

 Matrix: Plant
 Type: Flower - Cured
 Sample Size: 43.1 g
 Lot#:

Pesticides

Completed

Category 1 Pesticides	LOQ	Results
	PPM	PPM
Chlorpyrifos	0.0010	<LOQ
Imazalil	0.0010	<LOQ
Category 2 Pesticides	LOQ	Results
	PPM	PPM
Abamectin	0.0100	<LOQ
Acephate	0.0010	<LOQ
Acequinocyl	0.0010	<LOQ
Azoxystrobin	0.0010	<LOQ
Bifenazate	0.0010	<LOQ
Bifenthrin	0.0010	<LOQ
Carbaryl	0.0010	<LOQ
Cypermethrin	0.0100	<LOQ
Etoxazole	0.0010	<LOQ
Imidacloprid	0.0010	<LOQ
Myclobutanil	0.0010	<LOQ
Spinosyn A	0.0010	<LOQ
Spinosyn D	0.0010	<LOQ

Analyst: 045

Pesticides Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer

LOQ = The lowest quantity this method can reliably detect. Any pesticide or mycotoxins that was not detected is assumed to be less than the stated LOQ (<LOQ).

ppm = parts per million

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.




 Luke Emerson-Mason
 Laboratory Director
 06/05/2024

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


Death Star

Sample ID: BIA240531S0001
Strain: Death Star

Matrix: Plant
Type: Flower - Cured
Sample Size: 43.1 g
Lot#:

Produced:
Collected:
Received: 05/31/2024
Completed: 06/05/2024
Batch#:

Client
Green Mountain Gardens
Lic. # SCLT0110
126 Ski Bowl Rd
Bellows Falls, VT 05101

Pathogens

Not Tested

Pathogens	LOD CFU/g	Results CFU/g
Aspergillus	5	NT
Shiga Toxin E. Coli	5	NT
Salmonella SPP	5	NT

Analyst:

Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes




Luke Emerson-Mason
Laboratory Director
06/05/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

